REAL 9000 PLUS CHILD/YOUTH

Order form - your support for assessment, quotation and order

Use *Adobe Acrobat Reader* to complete this form digitally. Download the program **here**.

☐ Quotation ☐ Order Number of chairs _____

YOUR CONTACT INFORMATION

Name _____ Email _____ Phone _____

1 MODEL

Model
- ☐ Child manual
- ☐ Child electrical 24V
- ☐ Mini manual
- ☐ Mini electrical 24V

Electrical controls
- ☐ Mounted [1]
- ☐ Remote control with cord and magnet

Color of seat, backrest and other upholstery (except armrests):

Plush
- ☐ Grey ☐ REAL-blue
- ☐ Bordeaux ☐ Black

Artificial leather
- ☐ Red ☐ Black
- ☐ Grey ☐ Blue
- ☐ Brown

Hygiene
- ☐ Grey

Patterned
- ☐ Blue

[1] *For position of mounted controls see section "Control position" in section 2, 3 och 5*

2 SEAT

SEAT UPHOLSTERY

Width x depth, in cm	29x32	33x35	36x39	36x43	40x39	40x43	40x48
ErgoMedic (EM)	☐	☐	☐	☐	☐	☐	☐
EM SlowRecovery		☐	☐	☐	☐	☐	☐
EM PLUS	☐	☐	☐	☐	☐	☐	☐
EM PLUS SlowRecovery		☐	☐	☐	☐	☐	☐
EM wooden seat plate	☐	☐	☐	☐	☐	☐	☐
EM wooden seat plate with Anti-slip	☐	☐	☐	☐	☐	☐	☐

Matching tips!
(measurements refer to the width of the upholstery, in cm)

Seat	Backrest
29	23-27
33	27
36	30
40	33

SEAT TILT seat and backrest are tilted together [2]

Fixed interval
- ☐ No tilt
- ☐ 15° fw, 8° bw
- ☐ 15° fw, 15° bw

Allangle (= configurable)
- ☐ 15° fw, 8° bw
- ☐ 8° fw, 15° bw
- ☐ 0° fw, 23° bw [3]

Seat angle control
- ☐ Crank (under seat back)
- ☐ Gas spring
- ☐ Electrical

Control position
- ☐ Under seat back
- ☐ Armrest right front
- ☐ Armrest left front
- ☐ Armrest right back
- ☐ Armrest left back
- ☐ Backside of backrest

Armrest follow tilt [4]
- ☐ Yes
- ☐ No

[2] *See section 7*
[3] *Requires rear base extenders*
[4] *Only for seat tilt "Allangle" and "15° fw, 15° bw"*

3 BACKREST

BACKREST UPHOLSTERY	Low					High						
Width x height, in cm	27x22	30x26	33x26	35x20	40x20	25x34	27x32	30x34	33x36	35x43	40x34	42x43
ErgoMedic (EM) [5]	☐	☐	☐				☐	☐	☐		☐	☐
EM SlowRecovery	☐	☐	☐				☐	☐	☐		☐	☐
EM Support										☐		☐
EM PLUS				☐	☐	☐		☐		☐		☐
EM PLUS SlowRecovery				☐	☐	☐		☐		☐		☐
EM PLUS side wedge (SW)								☐		☐		☐
EM PLUS comfort (= lower back support)										☐		☐

[5] *46x43 only available in grey plush*

(more backrests on next page)

BACKREST UPHOLSTERY
(CONTINUATION)

Width x height, in cm	Low					High					
	27x22	30x26	33x26	35x20	40x20	25x34	27x32	30x34	33x36	35x43	40x34	42x43
EM PLUS SW comfort										☐		☐
EM PLUS reinforced SW										☐		☐
EM PLUS reinforced SW comfort										☐		☐
EM PLUS without bulb												☐
EM PLUS without bulb w SW												☐
	39x30	45x30				39x40	45x40					
Slingback (backrest with adjustable straps)	☐	☐				☐	☐					

BACKREST MECHANISM

Model

- ☐ Standard
- ☐ Medic
- ☐ Double Medic (Allangle required)
- ☐ Comfort
- ☐ Electrical
- ☐ Slingback

Control position [6]

- ☐ Armrest right front
- ☐ Armrest left front
- ☐ Backside of backrest
- ☐ Armrest right back
- ☐ Armrest left back

[6] *Only for Comfort and electrical backrest mechanism*

4 ARMREST

ARMREST PLATE black molded / artificial leather

Length in cm	25	30	35 [7]	40 [7]	42 [7]
ErgoMedic	☐	☐	☐	☐	
Extra Soft	☐	☐	☐		
Mobile	☐	☐	☐	☐	
ErgoMedic PLUS		L ☐☐ R			L ☐☐ R

ARMREST MECHANISM

Model

- ☐ PLUS (non foldable)
- ☐ Foldable backwards [7]

[7] *Not suitable for chair model REAL 9000 PLUS Mini*

5 BASE

ACTUATOR FOR SEAT HEIGHT

Seat height adjustment, in cm (manual / electrical) [8]

- ☐ Extra low (- / 33-48) [9]
- ☐ Low (32-46 / 36-56)
- ☐ High (40-60 / 43-71)

Control position

- ☐ Under seat front [10]
- ☐ Armrest right front
- ☐ Armrest left front
- ☐ Armrest right back
- ☐ Armrest left back
- ☐ Backside of backrest

User weight

Manual chair model
- ☐ < 55 kg
- ☐ 55-75 kg [11]

Electrical chair model
- ☐ 0-75 kg [11]

[8] *Seat height measured between floor and bottom of seat (without seat tilt)*
[9] *Only without seat tilt*
[10] *Not for "15° fw, 15° bw" seat tilt or electrical adjustable chairs*
[11] *For user weight exceeding 75 kg, see order form for REAL 9000 PLUS Adult*

BASE Width x depth, in cm

Model

- ☐ Backward brake (Child 43 x 53)

Brake type

- ☐ Brake lever 25 cm
- ☐ Brake lever 35 cm
- ☐ Brake lever 45 cm
- ☐ Brake lever w loop
- ☐ Foot brake
- ☐ Electrical brake

Wheels (in mm)

- ☐ 100 XL
- ☐ 100 BXL
- ☐ 100 SL
- ☐ 125
- ☐ 150

6 OPTIONAL AND ALTERNATIVE EQUIPMENT

LEGREST Adjustable interval, in cm

Foot ring foldable	Legrest Medic	Legrest Medic divided	Legrest center mounted	Adapter for Cross legrest
☐ 1/4	☐ S 18-24	☐ S 18-24	☐ 30-38 (W29xD24)	☐ Right
☐ 1/8 right	☐ M 23-32	☐ M 23-32	☐ 37-53 (W29xD24)	☐ Left
☐ 1/8 left	☐ L 28-41	☐ L 28-41	☐ 30-38 Mini (W25xD18)	☐ Including Cross legrest
			☐ 37-53 Mini (W25xD18)	☐ 23-31 cm
			☐ 30-38 Slim (W32xD10)	☐ 33-51 cm
			☐ 37-53 Slim (W32xD10)	

EXTRA SUPPORT Width x height, in cm

Trunk support [12]	Side support	Hip belt (length)	Attachment for belt/harness
☐ Straight	☐ 15x8	☐ S 51-71	☐ Attachment hip belt [13]
☐ Cruved	☐ 28x8	☐ M 63-83	☐ Attachment H-harness
☐ Curved and adjustable	☐ 24x14	☐ L 83-103	

Neckrest [12]	Neckrest mechanism [12]	Knee stop	Calf support	Divider
☐ Flat 29x16	☐ Height adjustable	☐ 16x8	☐ Medic divided	☐ Leg divider
☐ Rounded 31x18	☐ Height and sideways adjustable		☐ Center mounted	☐ Knee divider
☐ ErgoMedic PLUS 30x23			☐ 10x10	☐ 11 (width)
☐ ErgoMedic PLUS 30x8			☐ 15x13	

[12] Only for high backrest
[13] Not needed if the selected option for seat tilt is "Allangle"

COVER	PUSH HANDLE	TABLE/TRAY	BASE EXTENDERS
☐ Backrest, plush	☐ Push handles Optimal	☐ Table 37x45 cm foldable	☐ Front
☐ Seat, plush		☐ Table 60x45 cm foldable	☐ Rear
☐ Backrest, water resistant		☐ Tray 45x30 cm	☐ Front and rear
☐ Seat, water resistant			

7 PRESCRIPTION RECOMMENDATIONS

The backrest mechanism Double Medic should be prescribed when:

... there is a risk for involuntary movements which may cause great stress on the backrest mechanism over a long period of time.
... the user is over 200 cm long and has a backward tilted pelvis, in combination with a seat unit that can tilt more than 8° backward, and neck support.
... the seat unit can be tilted more than 15° backward and the user weighs more than 100 kg.
... the reinforced seat frame Allangle +15°/-23° is selected due to high loads.
... a user with spasms or repeated rocking movements is going to use the chair.
... backrest upholstery wider than 46 cm is mounted on the chair in combination with 15° tilt backward.

COMMENTS

Mercado Medic AB
Tryffelslingan 14, S-181 57 Lidingö
Sweden

Tel 08 555 143 00

Email kundtjanst@mercado.se
Web www.mercado.se