REAL 9000 PLUS ADULT

Order form - your support for assessment, quotation and order

Use *Adobe Acrobat Reader* to complete this form digitally. Download the program **here**.

☐ Quotation ☐ Order Number of chairs _____

YOUR CONTACT INFORMATION

Name _____ Email _____ Phone _____

1 MODEL

Model
- ☐ Adult manual
- ☐ Adult electrical 24V
- ☐ Adult coxit manual
- ☐ Adult coxit electrical 24V

Electrical controls
- ☐ Mounted [1]
- ☐ Remote control with cord and magnet

Color of seat, backrest and other upholstery (except armrests):

Plush
- ☐ Grey ☐ REAL-blue
- ☐ Bordeaux ☐ Black

Artificial leather
- ☐ Red ☐ Black
- ☐ Grey ☐ Blue
- ☐ Brown

Hygiene
- ☐ Grey

Patterned
- ☐ Blue

[1] *For position of mounted controls see section "Controls position" in section 2, 3 and 5*

2 SEAT

SEAT UPHOLSTERY

Width x depth, in cm	40x39	40x43	40x48	44x43	44x48	44x53[2]	48x48	48x53[2]
ErgoMedic (EM)	☐	☐	☐	☐	☐	☐	☐	☐
EM SlowRecovery	☐	☐	☐	☐	☐	☐	☐	☐
EM PLUS	☐	☐	☐	☐	☐	☐	☐	☐
EM PLUS SlowRecovery	☐	☐	☐	☐	☐	☐	☐	☐
EM wooden seat plate	☐	☐	☐	☐	☐	☐	☐	☐
EM wooden seat plate with Anti-slip	☐	☐	☐	☐	☐	☐	☐	☐

Matching tips!
(measurements refer to the width of the upholstery, in cm)

Seat	Backrest
40	33
44	38-42
48	38-46

[2] *Not offered for Coxit*

SEAT TILT seat and backrest are tilted together [3]

Fixed interval
- ☐ No tilt
- ☐ 15° fw, 8° bw
- ☐ 15° fw, 15° bw

Allangle (= configurable)
- ☐ 15° fw, 8° bw
- ☐ 8° fw, 15° bw
- ☐ 0° fw, 23° bw [4]

Seat angle control
- ☐ Lever under seat
- ☐ Gas spring
- ☐ Electrical

Control position
- ☐ Under seat back
- ☐ Armrest right front
- ☐ Armrest left front
- ☐ Armrest right back
- ☐ Armrest left back
- ☐ Backside of backrest

Armrest follow tilt [5]
- ☐ Yes
- ☐ No

[3] *See section 7*
[4] *Requires rear base extenders*
[5] *Only for seat tilt "Allangle" and "15° fw, 15° bw"*

3 BACKREST

BACKREST UPHOLSTERY

	Low				High				
Width x height, in cm	33x26	35x20	38x26	40x20	33x36	35x43	40x34	42x43	46x43
ErgoMedic (EM) [6]	☐		☐		☐		☐	☐	☐
EM SlowRecovery	☐		☐		☐		☐	☐	
EM Support						☐		☐	☐
EM PLUS		☐		☐		☐		☐	☐
EM PLUS SlowRecovery		☐		☐		☐		☐	☐

[6] *46x43 only available in grey plush*

(more backrests on next page)

Mercado Medic AB
Tryffelslingan 14, S-181 57 Lidingö
Sweden
Tel 08 555 143 00
Email kundtjanst@mercado.se
Web www.mercado.se

BACKREST UPHOLSTERY

	Low				High				
Width x height, in cm	33x26	35x20	38x26	40x20	33x36	35x43	40x34	42x43	46x43
EM PLUS side wedge						☐		☐	☐
EM PLUS Comfort (= lower back support)						☐		☐	☐
EM PLUS side wedge Comfort						☐		☐	☐
EM PLUS reinforced side wedge						☐		☐	☐
EM PLUS reinforced side wedge Comfort						☐		☐	☐
EM PLUS without bulb								☐	☐
EM PLUS without bulb, with side wedge								☐	☐
	39x30	45x30			39x40	45x40			
Slingback (backrest with adjustable straps)	☐	☐			☐	☐			

BACKREST MECHANISM

Model

- ☐ Standard
- ☐ Medic
- ☐ Double Medic (Allangle required)
- ☐ Comfort
- ☐ Electrical
- ☐ Slingback

Control position [7]

- ☐ Armrest right front
- ☐ Armrest left front
- ☐ Backside of backrest
- ☐ Armrest right back
- ☐ Armrest left back

[7] *Only for Comfort and electrical backrest mechanism*

4 ARMREST

ARMREST PLATE black molded / artificial leather

Length in cm	25	30	35	40	42	45
ErgoMedic	☐	☐	☐	☐		
Extra Soft	☐	☐	☐			
Mobile	☐	☐	☐	☐		
ErgoMedic PLUS		L ☐☐ R			L ☐☐ R	
Hemiplegia						L ☐☐ R

ARMREST MECHANISM

Model

- ☐ PLUS (non foldable)
- ☐ Foldable backwards

5 BASE

ACTUATOR FOR SEAT HEIGHT

Seat height adjustment, in cm (manual / electrical) [8]

- ☐ Extra low (- / 33-48) [9]
- ☐ Low (32-46 / 36-56)
- ☐ High (40-60 / 43-71)

Control position

- ☐ Under seat front [10]
- ☐ Armrest right front
- ☐ Armrest left front
- ☐ Armrest right back
- ☐ Armrest left back
- ☐ Backside of backrest

User weight

Manual chair model

- ☐ < 55 kg
- ☐ 55-90 kg
- ☐ 90-150 kg [11]

Electrical chair model

- ☐ 0-150 kg [11]

[8] *Seat height measured between floor and bottom of seat (without seat tilt)*
[9] *Only without seat tilt*
[10] *Not for "15° fw, 15° bw" seat tilt or electrically adjustable chairs*
[11] *For user weight exceeding 150 kg, see order form for REAL 9200 TWIN*

BASE Width x depth, in cm

Model (48 x 53)

- ☐ Forward brake [12]
- ☐ Backward brake [12]
- ☐ 4-point-backward brake

Brake type

- ☐ Brake lever 35 cm
- ☐ Brake lever 45 cm
- ☐ Brake lever 55 cm
- ☐ Brake lever w loop
- ☐ Foot brake (choose backward brake)
- ☐ Electrical brake

Wheels (in mm)

- ☐ 100 XL
- ☐ 100 BXL
- ☐ 100 SL
- ☐ 125
- ☐ 150

[12] *Choose model "forward brake" for brake type "levers" and model "backward brake" for "foot brake".*

6 OPTIONAL AND ALTERNATIVE EQUIPMENT

LEGREST Adjustable interval, in cm

Foot ring foldable	Legrest Medic	Legrest Medic divided	Legrest center mounted	Adapter for Cross legrest
☐ 1/4	☐ M 23-32	☐ M 23-32	☐ 30-38 (W29xD24)	☐ Right
☐ 1/8 right	☐ L 28-41	☐ L 28-41	☐ 37-53 (W29xD24)	☐ Left
☐ 1/8 left	☐ XL 38-50	☐ XL 38-50	☐ 30-38 Mini (W25xD18)	☐ Including Cross legrest
			☐ 37-53 Mini (W25xD18)	☐ 23-31 cm
			☐ 30-38 Slim (W32xD10)	☐ 33-51 cm
			☐ 37-53 Slim (W32xD10)	

EXTRA SUPPORT Width x height, in cm

Trunk support [13]	Side support	Hip belt (length)	Attachment for belt/harness
☐ Straight	☐ 28x8	☐ M 63-83	☐ Attachment hip belt [14]
☐ Curved	☐ 24x14	☐ L 83-103	☐ Attachment H-harness
☐ Curved and adjustable	☐ 30x16		

Neckrest [13]	Neckrest mechanism [13]	Knee stop	Calf support	Divider
☐ Flat 29x16	☐ Height adjustable	☐ 16x8	☐ Medic divided	☐ Leg divider
☐ Rounded 31x18	☐ Height and sideways adjustable		☐ Center mounted	☐ Knee divider
☐ ErgoMedic PLUS 30x23			☐ 10x10	☐ 11 (width)
☐ ErgoMedic PLUS 30x8			☐ 15x13	

[13] Only for high backrest
[14] Not needed if the selected option for seat tilt is "Allangle"

COVER	PUSH HANDLE	TABLE/TRAY	BASE EXTENDERS
☐ Backrest, plush	☐ Push handles Optimal	☐ Table 37x45 cm foldable	☐ Front
☐ Seat, plush		☐ Table 60x45 cm foldable	☐ Rear
☐ Backrest, water resistant		☐ Tray 45x30 cm	☐ Front and rear
☐ Seat, water resistant			

7 PRESCRIPTION RECOMMENDATIONS

The backrest mechanism Double Medic should be prescribed when:

... there is a risk for involuntary movements which may cause great stress on the backrest mechanism over a long period of time.
... the user is over 200 cm long and has a backward tilted pelvis, in combination with a seat unit that can tilt more than 8° backward, and neck support.
... the seat unit can be tilted more than 15° backward and the user weighs more than 100 kg.
... the reinforced seat frame Allangle +15°/-23° is selected due to high loads.
... a user with spasms or repeated rocking movements is going to use the chair.
... backrest upholstery wider than 46 cm is mounted on the chair in combination with 15° tilt backward.

COMMENTS

Mercado Medic AB
Tryffelslingan 14, S-181 57 Lidingö
Sweden

Tel 08 555 143 00

Email kundtjanst@mercado.se
Web www.mercado.se